



IN THE CLAIMS:

Claims 1 and 15 have been amended, and Claim 13 has been cancelled in the present amendment.

1. (Currently Amended) A thermoplastic moulding composition comprising consisting of:

- A) 40 to 99 parts by weight of at least one of aromatic polycarbonate and polyester carbonate;
- B) 0.5 to 60 parts by weight of a graft polymer prepared from,
 - B.1) 5 to 95 wt.% of one or more vinyl monomers, and
 - B.2) 95 to 5 wt.% of one or more particulate diene rubbers having a glass transition temperature of $<10^{\circ}\text{C}$, which are produced by emulsion polymerisation,
said graft polymer being prepared by means of a graft polymerisation in the presence of an initiator system comprising an organic hydroperoxide and ascorbic acid, said graft polymerisation having a grafting yield of $> 60 \text{ wt.}\%$;
- C) 0 to 45 parts by weight of at least one thermoplastic polymer selected from the group consisting of thermoplastic vinyl (co)polymers and polyalkylene terephthalates;
- D) 0.1 to 50 parts by weight of at least one component selected from the group consisting of phosphazenes represented by the following formulae,



in which

R is in each case identical or different and denotes amino, C₁ to C₈ alkyl, in each case optionally halogenated, or C₁ to C₈ alkoxy, C₅ to C₆ cycloalkyl, C₆ to C₂₀ aryl, C₆ to C₂₀ aryloxy, or C₇ to C₁₂ aralkyl, in each case optionally substituted by alkyl and/or halogen,

k denotes 0 or a number from 1 to 15; and

E) 0 to 5 parts by weight of fluorinated polyolefin; and

F) optionally at least one additive selected from the group consisting of lubricants, mould release agents, nucleating agents, anti-static agents, stabilisers, dyes and pigments.

2. (Previously Presented) The moulding composition of Claim 1 comprising:
 60 to 98.5 parts by weights of A;
 1 to 40 parts by weight of B;
 0 to 30 parts by weight of C;
 2 to 35 parts by weight of D; and
 0.1 to 1 parts by weight of E.

3. (Previously Presented) The moulding composition of Claim 1 comprising 2 to 25 parts by weight of C.

4. (Previously Presented) The moulding composition of Claim 1 comprising 5 to 25 parts by weight of D.

5. (Previously Presented) The moulding composition of Claim 1 wherein vinyl monomers B.1 are mixtures prepared from:

B.1.1 50 to 99 parts by weight of at least one member selected from the group consisting of vinyl aromatics, ring-substituted vinyl aromatics and methacrylic acid (C₁-C₈)-alkyl esters; and

B.1.2 1 to 50 parts by weight of at least one member selected from the group consisting of vinyl cyanides, (meth)acrylic acid (C₁-C₈)-alkyl esters, anhydrides of unsaturated carboxylic acids and imides of unsaturated carboxylic acids.

6-8. (Cancelled)

9. (Previously Presented) The moulding composition of Claim 1 wherein the grafting yield, of said graft polymerisation, is > 75 wt.%.

10. (Previously Presented) The moulding composition of Claim 1 wherein the grafting yield, of said graft polymerisation, is > 85 wt.%.

11. (Cancelled)

12. (Previously Presented) The moulding composition of Claim 1 wherein component D is selected from the group consisting of propoxyphosphazene, phenoxyphosphazene, methylphenoxyphosphazene, aminophosphazene and fluoroalkylphosphazenes.

13. (Cancelled)

14. (Cancelled)

15. (Currently Amended) A method of producing the moulding composition of Claim 1 comprising mixing and melt-compounding components A to E and optionally component F ~~at least one additive selected from the group consisting of lubricants, mould release agents, nucleating agents, anti-static agents, stabilisers, dyes and pigments.~~

16-18. (Cancelled)

19. (Previously Presented) The molding composition of Claim 1 wherein diene rubber B.2) is at least one member selected from the group consisting of diene rubber copolymers of diene rubber.

20. (Previously Presented) The molding composition of Claim 1 wherein diene rubber B.2) is polybutadiene rubber.

21. (Previously Presented) The molding composition of Claim 1 wherein the hydroperoxide, of the graft polymerisation of said graft polymer B, is at least one member selected from the group consisting of cumene hydroperoxide, tert.-butyl hydroperoxide and hydrogen peroxide.

22. (Previously Presented) A molded article comprising the composition of Claim 1.